	Hits	Search Text	DBs
1	1	modulat\$7 and isi and pre\$1equali\$7 and spread\$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	2	"6084919".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	2	"5822359".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1	(isi with pre\$1equali\$7) and spread\$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1	(isi with pre\$1equali\$7) and cdma and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1	(isi near30 pre\$1equali\$7) and spread\$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	1	((isi or ici) near30 pre\$1equali\$7) and spread\$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2	((isi or ici or (inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) near30 pre\$1equali\$7) and spread\$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	27	((((inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) or isi or ici) same pre\$1equali\$7) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	8	((((inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) or isi or ici) and pre\$1equali\$7) and (spread\$7 or pn or walsh or pseudo\$1cod\$3) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	4	(("6,084,919") or ("5,822,359")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	21	((((inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) or isi or ici) with pre\$1equali\$7) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	(375/141,145,146,242,253,254,28 5,295,260,130,140,259, 341/143,126, 370/209,335,342,441,208,203,329, 328,310, 455/562.1,422.1,561,550.1,73,403 ).ccls. and modulat\$7 and isi and pre\$1equali\$7 and spread\$7 and @ad<"19980424"	US-PGPUB; 'USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	2	((((inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) or isi or ici) near30 pre\$1equali\$7) and (spread\$7 or pn or walsh or pseudo\$1cod\$3) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	2	((isi or ici or (inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) near30 pre\$1equali\$7) and (spread\$7 or pn or walsh or pseudo\$1cod\$3) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB